

VELP Scientifica Solutions for Incubation



FTC 120



FOC 120E



FOC 200E



FOC 120I



FOC 200I



FOC 200IL

Internal transparent door				•	•	•
Total volume L	120	120	200	120	200	200
Temperature settings °C	20, constant	from 3 to 50	from 3 to 50	from 3 to 50	from 3 to 50	from 3 to 50
Temperature stability and homogeneity °C	± 0.5	± 0.5	± 0.5	± 0.5	± 0.5	± 0.5
Timer						controls lighting cycles
Lighting system						LED
TEMPSoft™ connection		•	•	•	•	•
Electronic thermoregulation system	Traditional	Auto-Tuning	Auto-Tuning	Auto-Tuning	Auto-Tuning	Auto-Tuning
Number of shelves supplied	2	2	3	2	3	3
Maximum number of shelves	4	4	5	4	5	5
Internal socket	2	2	2	2	2	2
Capacity (BOD System)	3 x BOD (EVO) Sensor System 6 2 x BOD Sensor System 10	3 x BOD (EVO) Sensor System 6 2 x BOD Sensor System 10	4 x BOD (EVO) Sensor System 6 2 x BOD Sensor System 10	2 x BOD (EVO) Sensor System 6 1 x BOD Sensor System 10	4 x BOD (EVO) Sensor System 6 1 x BOD Sensor System 10	4 x BOD (EVO) Sensor System 6 1 x BOD Sensor System 10
Dimensions (WxHxD) mm	540x912x550	540x912x550	540x1260x600	540x912x550	540x1260x600	540x1260x600
(in)	(21.3x35.9x21.7)	(21.3x35.9x21.7)	(21.3x49.7x21.7)	(21.3x35.9x21.7)	(21.3x49.7x21.7)	(21.3x51.2x21.7)
Weight						
Kg	36.0	36.0	46.3	36.0	46.3	50.0
(lb)	(79.4)	(79.4)	(102.1)	(79.4)	(102.1)	(110.2)
Power Supply	230 V	230 V	230 V	230 V	230 V	230 V
Power	120 W	120 W	400 W	120 W	400 W	400 W



www.velp.com